

# ColorFlex II FACTS



1. ColorFlex<sup>II</sup> is a water-based, acrylic, latex caulk. It dries with a glossy finish.
2. It is available in 4 oz. & 5.5 oz. squeeze tubes and 10.5 oz. cartridges.
3. One 4 oz. Tube will fill a 10' section, with a 1/4" bead.  
One 10.5 oz. Cartridge will fill a 25' section with a 1/4" bead.  
Recommended bead size is 3/16" to 3/8" across the face of the bead. If the bead is too small, it may crack or show signs of deterioration.
4. ColorFlex<sup>II</sup> can be safely painted over, once it has completely dried.
5. ColorFlex<sup>II</sup> can freeze and thaw up to 3 times. Shelf-life from date stamped on tube is 12 months.
6. **We do not recommend ColorFlex<sup>II</sup> for outdoor use.** ColorFlex<sup>II</sup> will withstand intermittent water. ColorFlex<sup>II</sup> is not intended for water submersion.
7. ColorFlex<sup>II</sup> will shrink approximately 40% upon cure.
8. Cured ColorFlex<sup>II</sup>® is mildew and stain resistant. Shelf-life (unopened) maximum is 18 months. The cured product remains flexible and color stable in non-UV Interior conditions. The product meets the Performance Specifications of ASTM-C834 Latex Sealants. Movement Capability: 7 1/2% in extension, 7 1/2% in compression (15%) when installed in properly designed joints within the correct range of thermal movement capabilities. The product may shrink approximately 40% when fully cured.
9. **VOC Information** < 1.5% ; 30 g/L (by weight, calculated using CARB method, g/L less water, less exempts calculated using SCAQMD method)

## 10.5 oz. Cartridge Bead Length

**BEAD YIELDS ARE APPROXIMATE AND FOR REFERENCE ONLY**

**1/8" wide X 1/8" thick yields approximately 80' in bead length**

**1/4" wide X 3/16" thick yields approximately 28' in bead length**

**3/8" wide X 3/16" thick yields approximately 20' in bead length**